

# Tactile Signs

White on Blue Rowmark

Size: 180mm x180mm



<p>A-W/BL <input type="checkbox"/></p> <p>access</p> <p>Qty. _____</p>	<p>AR-W/BL <input type="checkbox"/></p> <p>accessible ramp</p> <p>Qty. _____</p>	<p>AX-W/BL <input type="checkbox"/></p> <p>accessible exit</p> <p>Qty. _____</p>	<p>AE-W/BL <input type="checkbox"/></p> <p>accessible entry</p> <p>Qty. _____</p>	<p>AE2-W/BL <input type="checkbox"/></p> <p>accessible entrance</p> <p>Qty. _____</p>
<p>A1-W/BL <input type="checkbox"/></p> <p>accessible</p> <p>Qty. _____</p>	<p>A2-W/BL <input type="checkbox"/></p> <p>accessible toilet</p> <p>Qty. _____</p>	<p>ALH-W/BL <input type="checkbox"/></p> <p>accessible toilet lh</p> <p>Qty. _____</p>	<p>ARH-W/BL <input type="checkbox"/></p> <p>accessible toilet rh</p> <p>Qty. _____</p>	<p>AMLH-W/BL <input type="checkbox"/></p> <p>accessible male lh</p> <p>Qty. _____</p>
<p>AMRH-W/BL <input type="checkbox"/></p> <p>accessible male rh</p> <p>Qty. _____</p>	<p>AFLH-W/BL <input type="checkbox"/></p> <p>accessible female lh</p> <p>Qty. _____</p>	<p>AFRH-W/BL <input type="checkbox"/></p> <p>accessible female rh</p> <p>Qty. _____</p>	<p>ATP-W/BL <input type="checkbox"/></p> <p>accessible telephone</p> <p>Qty. _____</p>	<p>AM-W/BL <input type="checkbox"/></p> <p>accessible male</p> <p>Qty. _____</p>
<p>AF-W/BL <input type="checkbox"/></p> <p>accessible female</p> <p>Qty. _____</p>	<p>UAT-W/BL <input type="checkbox"/></p> <p>unisex toilet</p> <p>Qty. _____</p>	<p>UATLH-W/BL <input type="checkbox"/></p> <p>unisex toilet lh</p> <p>Qty. _____</p>	<p>UATRHW/BL <input type="checkbox"/></p> <p>unisex toilet rh</p> <p>Qty. _____</p>	<p>UT-W/BL <input type="checkbox"/></p> <p>unisex toilet</p> <p>Qty. _____</p>
<p>T1-W/BL <input type="checkbox"/></p> <p>toilets</p> <p>Qty. _____</p>	<p>FA-W/BL <input type="checkbox"/></p> <p>female ambulant</p> <p>Qty. _____</p>	<p>MA-W/BL <input type="checkbox"/></p> <p>male ambulant</p> <p>Qty. _____</p>	<p>AT-W/BL <input type="checkbox"/></p> <p>ambulant toilet</p> <p>Qty. _____</p>	<p>TR-W/BL <input type="checkbox"/></p> <p>toilets to right →</p> <p>Qty. _____</p>

# Tactile Signs

White on Blue Rowmark

Size: 180mm x180mm



TL-W/BL ☐



toilets to left ←

Qty. \_\_\_\_\_

M1-W/BL ☐



male

Qty. \_\_\_\_\_

F1-W/BL ☐



female

Qty. \_\_\_\_\_

F2-W/BL ☐



female staff

Qty. \_\_\_\_\_

M2-W/BL ☐



male staff

Qty. \_\_\_\_\_

ST-W/BL ☐



staff toilet

Qty. \_\_\_\_\_

SC-W/BL ☐



staff change room

Qty. \_\_\_\_\_

FC-W/BL ☐



female change room

Qty. \_\_\_\_\_

MC-W/BL ☐



male change room

Qty. \_\_\_\_\_

UC-W/BL ☐



unisex & change room

Qty. \_\_\_\_\_

FS-W/BL ☐



female shower

Qty. \_\_\_\_\_

MS-W/BL ☐



male shower

Qty. \_\_\_\_\_

AS-W/BL ☐



accessible & shower

Qty. \_\_\_\_\_

UTS-W/BL ☐



unisex toilet shower

Qty. \_\_\_\_\_

S-W/BL ☐



shower

Qty. \_\_\_\_\_

GT-W/BL ☐



girls toilet

Qty. \_\_\_\_\_

BT-W/BL ☐



boys toilet

Qty. \_\_\_\_\_

P1-W/BL ☐



parents

Qty. \_\_\_\_\_

P2-W/BL ☐



parenting

Qty. \_\_\_\_\_

B1-W/BL ☐



babycare

Qty. \_\_\_\_\_

B2-W/BL ☐



babycare

Qty. \_\_\_\_\_

PR-W/BL ☐



parents room

Qty. \_\_\_\_\_

MTBR-W/BL ☐



male toilet & babycare →

Qty. \_\_\_\_\_

MTBL-W/BL ☐



male toilet & babycare ←

Qty. \_\_\_\_\_

FAID-W/BL ☐



first aid

Qty. \_\_\_\_\_

# Tactile Signs

White on Blue Rowmark

Size: 180mm x180mm



HL-W/BL ☐



hearing loop

Qty. \_\_\_\_\_

CR-W/BL ☐



conference room

Qty. \_\_\_\_\_

WA-W/BL ☐



waiting area

Qty. \_\_\_\_\_

R1-W/BL ☐



rubbish

Qty. \_\_\_\_\_

R2-W/BL ☐



reception

Qty. \_\_\_\_\_

INFO-W/BL ☐



information

Qty. \_\_\_\_\_

TPH-W/BL ☐



telephone

Qty. \_\_\_\_\_

TT-W/BL ☐



taxi telephone

Qty. \_\_\_\_\_


TX-W/BL ☐



taxi

Qty. \_\_\_\_\_

ATM-W/BL ☐



atm

Qty. \_\_\_\_\_

C1-W/BL ☐



cashier

Qty. \_\_\_\_\_

PH-W/BL ☐



pharmacy

Qty. \_\_\_\_\_

CS-W/BL ☐



cafe shop

Qty. \_\_\_\_\_


DW-W/BL ☐



drinking water

Qty. \_\_\_\_\_


CL-W/BL ☐



cleaner

Qty. \_\_\_\_\_


S1-W/BL ☐



stairs

Qty. \_\_\_\_\_

L1-W/BL ☐



lifts

Qty. \_\_\_\_\_

# Tactile Signs

Black on Silver Rowmark

Size: 180mm x180mm



<p>A-B/S <input type="checkbox"/></p> <p><b>Access</b></p> <p>access</p> <p>Qty. _____</p>	<p>AR-B/S <input type="checkbox"/></p> <p><b>Ramp</b></p> <p>accessible ramp</p> <p>Qty. _____</p>	<p>AX-B/S <input type="checkbox"/></p> <p><b>Exit</b></p> <p>accessible exit</p> <p>Qty. _____</p>	<p>AE-B/S <input type="checkbox"/></p> <p><b>Entry</b></p> <p>accessible entry</p> <p>Qty. _____</p>	<p>AE2-B/S <input type="checkbox"/></p> <p><b>Entrance</b></p> <p>accessible entrance</p> <p>Qty. _____</p>
<p>A1-B/S <input type="checkbox"/></p> <p><b>Accessible</b></p> <p>accessible</p> <p>Qty. _____</p>	<p>A2-B/S <input type="checkbox"/></p> <p><b>Accessible Toilet</b></p> <p>accessible toilet</p> <p>Qty. _____</p>	<p>ALH-B/S <input type="checkbox"/></p> <p><b>Toilet LH</b></p> <p>accessible toilet lh</p> <p>Qty. _____</p>	<p>ARH-B/S <input type="checkbox"/></p> <p><b>Toilet RH</b></p> <p>accessible toilet rh</p> <p>Qty. _____</p>	<p>AMLH-B/S <input type="checkbox"/></p> <p><b>Male Toilet LH</b></p> <p>accessible male lh</p> <p>Qty. _____</p>
<p>AMRH-B/S <input type="checkbox"/></p> <p><b>Male Toilet RH</b></p> <p>accessible male rh</p> <p>Qty. _____</p>	<p>AFLH-B/S <input type="checkbox"/></p> <p><b>Female Toilet LH</b></p> <p>accessible female lh</p> <p>Qty. _____</p>	<p>AFRH-B/S <input type="checkbox"/></p> <p><b>Female Toilet RH</b></p> <p>accessible female rh</p> <p>Qty. _____</p>	<p>ATP-B/S <input type="checkbox"/></p> <p><b>Accessible Telephone</b></p> <p>accessible telephone</p> <p>Qty. _____</p>	<p>AM-B/S <input type="checkbox"/></p> <p><b>Accessible Male</b></p> <p>accessible male</p> <p>Qty. _____</p>
<p>AF-B/S <input type="checkbox"/></p> <p><b>Accessible Female</b></p> <p>accessible female</p> <p>Qty. _____</p>	<p>UAT-B/S <input type="checkbox"/></p> <p><b>Unisex Toilet</b></p> <p>unisex toilet</p> <p>Qty. _____</p>	<p>UATLH-B/S <input type="checkbox"/></p> <p><b>Unisex Toilet LH</b></p> <p>unisex toilet lh</p> <p>Qty. _____</p>	<p>UATRHB/S <input type="checkbox"/></p> <p><b>Unisex Toilet RH</b></p> <p>unisex toilet rh</p> <p>Qty. _____</p>	<p>UT-B/S <input type="checkbox"/></p> <p><b>Unisex Toilet</b></p> <p>unisex toilet</p> <p>Qty. _____</p>
<p>T1-B/S <input type="checkbox"/></p> <p><b>Toilets</b></p> <p>toilets</p> <p>Qty. _____</p>	<p>FA-B/S <input type="checkbox"/></p> <p><b>Female Ambulant</b></p> <p>female ambulant</p> <p>Qty. _____</p>	<p>MA-B/S <input type="checkbox"/></p> <p><b>Male Ambulant</b></p> <p>male ambulant</p> <p>Qty. _____</p>	<p>AT-B/S <input type="checkbox"/></p> <p><b>Ambulant Toilet</b></p> <p>ambulant toilet</p> <p>Qty. _____</p>	<p>TR-B/S <input type="checkbox"/></p> <p><b>Toilets To Right</b></p> <p>toilets to right →</p> <p>Qty. _____</p>

# Tactile Signs

Black on Silver Rowmark

Size: 180mm x180mm



<b>TL-B/S</b> <input type="checkbox"/>  <b>Toilets To Left</b> <small>TOILETS TO LEFT</small> toilets to left ← Qty. _____	<b>M1-B/S</b> <input type="checkbox"/>  <b>Male</b> <small>MALE</small> male Qty. _____	<b>F1-B/S</b> <input type="checkbox"/>  <b>Female</b> <small>FEMALE</small> female Qty. _____	<b>F2-B/S</b> <input type="checkbox"/>  <b>Female Staff</b> <small>FEMALE STAFF</small> female staff Qty. _____	<b>M2-B/S</b> <input type="checkbox"/>  <b>Male Staff</b> <small>MALE STAFF</small> male staff Qty. _____
<b>ST-B/S</b> <input type="checkbox"/>  <b>Staff Toilet</b> <small>STAFF TOILET</small> staff toilet Qty. _____	<b>SC-B/S</b> <input type="checkbox"/>  <b>Staff Change Room</b> <small>STAFF CHANGE ROOM</small> staff change room Qty. _____	<b>FC-B/S</b> <input type="checkbox"/>  <b>Female Change Room</b> <small>FEMALE CHANGE ROOM</small> female change room Qty. _____	<b>MC-B/S</b> <input type="checkbox"/>  <b>Male Change Room</b> <small>MALE CHANGE ROOM</small> male change room Qty. _____	<b>UC-B/S</b> <input type="checkbox"/>  <b>Unisex &amp; Change Room</b> <small>UNISEX &amp; CHANGE ROOM</small> unisex & change room Qty. _____
<b>FS-B/S</b> <input type="checkbox"/>  <b>Female Shower</b> <small>FEMALE SHOWER</small> female shower Qty. _____	<b>MS-B/S</b> <input type="checkbox"/>  <b>Male Shower</b> <small>MALE SHOWER</small> male shower Qty. _____	<b>AS-B/S</b> <input type="checkbox"/>  <b>Accessible &amp; Shower</b> <small>ACCESSIBLE &amp; SHOWER</small> accessible & shower Qty. _____	<b>UTS-B/S</b> <input type="checkbox"/>  <b>Unisex Toilet Shower</b> <small>UNISEX TOILET SHOWER</small> unisex toilet shower Qty. _____	<b>S-B/S</b> <input type="checkbox"/>  <b>Shower</b> <small>SHOWER</small> shower Qty. _____
<b>GT-B/S</b> <input type="checkbox"/>  <b>Girls Toilet</b> <small>MALE TOILET</small> girls toilet Qty. _____	<b>BT-B/S</b> <input type="checkbox"/>  <b>Boys Toilet</b> <small>BOYS TOILET</small> boys toilet Qty. _____	<b>P1-B/S</b> <input type="checkbox"/>  <b>Parents</b> <small>PARENTS</small> parents Qty. _____	<b>P2-B/S</b> <input type="checkbox"/>  <b>Parenting</b> <small>PARENTING</small> parenting Qty. _____	<b>B1-B/S</b> <input type="checkbox"/>  <b>Babycare</b> <small>BABY CARE</small> babycare Qty. _____
<b>B2-B/S</b> <input type="checkbox"/>  <b>Babycare</b> <small>BABY CARE</small> babycare Qty. _____	<b>PR-B/S</b> <input type="checkbox"/>  <b>Parents Room</b> <small>PARENTS ROOM</small> parents room Qty. _____	<b>MTBR-B/S</b> <input type="checkbox"/>  <b>Male Toilet &amp; Babycare</b> <small>MALE TOILET &amp; BABY CARE</small> male toilet & babycare → Qty. _____	<b>MTBL-B/S</b> <input type="checkbox"/>  <b>Male Toilet &amp; Babycare</b> <small>MALE TOILET &amp; BABY CARE</small> male toilet & babycare ← Qty. _____	<b>FAID-B/S</b> <input type="checkbox"/>  <b>First Aid</b> <small>FIRST AID</small> first aid Qty. _____

# Tactile Signs

Black on Silver Rowmark

Size: 180mm x180mm



HL-B/S ☐



hearing loop

Qty. \_\_\_\_\_

CR-B/S ☐



conference room

Qty. \_\_\_\_\_

WA-B/S ☐



waiting area

Qty. \_\_\_\_\_


R1-B/S ☐



rubbish

Qty. \_\_\_\_\_

R2-B/S ☐



reception

Qty. \_\_\_\_\_

INFO-B/S ☐



information

Qty. \_\_\_\_\_

TPH-B/S ☐



telephone

Qty. \_\_\_\_\_


TT-B/S ☐



taxi telephone

Qty. \_\_\_\_\_


TX-B/S ☐



taxi

Qty. \_\_\_\_\_


ATM-B/S ☐



atm

Qty. \_\_\_\_\_

C1-B/S ☐



cashier

Qty. \_\_\_\_\_

PH-B/S ☐



pharmacy

Qty. \_\_\_\_\_

CS-B/S ☐



cafe shop

Qty. \_\_\_\_\_


DW-B/S ☐



drinking water

Qty. \_\_\_\_\_


CL-B/S ☐



cleaner

Qty. \_\_\_\_\_


S1-B/S ☐



stairs

Qty. \_\_\_\_\_

L1-B/S ☐



lifts

Qty. \_\_\_\_\_

# Tactile Signs

Black on Aluminium

Size: 180mm x180mm



<p>A-B/AL <input type="checkbox"/></p> <p><b>Access</b></p> <p>access</p> <p>Qty. _____</p>	<p>AR-B/AL <input type="checkbox"/></p> <p><b>Ramp</b></p> <p>accessible ramp</p> <p>Qty. _____</p>	<p>AX-B/AL <input type="checkbox"/></p> <p><b>Exit</b></p> <p>accessible exit</p> <p>Qty. _____</p>	<p>AE-B/AL <input type="checkbox"/></p> <p><b>Entry</b></p> <p>accessible entry</p> <p>Qty. _____</p>	<p>AE2-B/AL <input type="checkbox"/></p> <p><b>Entrance</b></p> <p>accessible entrance</p> <p>Qty. _____</p>
<p>A1-B/AL <input type="checkbox"/></p> <p><b>Accessible</b></p> <p>accessible</p> <p>Qty. _____</p>	<p>A2-B/AL <input type="checkbox"/></p> <p><b>Accessible Toilet</b></p> <p>accessible toilet</p> <p>Qty. _____</p>	<p>ALH-B/AL <input type="checkbox"/></p> <p><b>Toilet LH</b></p> <p>accessible toilet lh</p> <p>Qty. _____</p>	<p>ARH-B/AL <input type="checkbox"/></p> <p><b>Toilet RH</b></p> <p>accessible toilet rh</p> <p>Qty. _____</p>	<p>AMLH-B/AL <input type="checkbox"/></p> <p><b>Male Toilet LH</b></p> <p>accessible male lh</p> <p>Qty. _____</p>
<p>AMRH-B/AL <input type="checkbox"/></p> <p><b>Male Toilet RH</b></p> <p>accessible male rh</p> <p>Qty. _____</p>	<p>AFLH-B/AL <input type="checkbox"/></p> <p><b>Female Toilet LH</b></p> <p>accessible female lh</p> <p>Qty. _____</p>	<p>AFRH-B/AL <input type="checkbox"/></p> <p><b>Female Toilet RH</b></p> <p>accessible female rh</p> <p>Qty. _____</p>	<p>ATP-B/AL <input type="checkbox"/></p> <p><b>Accessible Telephone</b></p> <p>accessible telephone</p> <p>Qty. _____</p>	<p>AM-B/AL <input type="checkbox"/></p> <p><b>Accessible Male</b></p> <p>accessible male</p> <p>Qty. _____</p>
<p>AF-B/AL <input type="checkbox"/></p> <p><b>Accessible Female</b></p> <p>accessible female</p> <p>Qty. _____</p>	<p>UAT-B/AL <input type="checkbox"/></p> <p><b>Unisex Toilet</b></p> <p>unisex toilet</p> <p>Qty. _____</p>	<p>UATLH-B/AL <input type="checkbox"/></p> <p><b>Unisex Toilet LH</b></p> <p>unisex toilet lh</p> <p>Qty. _____</p>	<p>UATRH-B/AL <input type="checkbox"/></p> <p><b>Unisex Toilet RH</b></p> <p>unisex toilet rh</p> <p>Qty. _____</p>	<p>UT-B/AL <input type="checkbox"/></p> <p><b>Unisex Toilet</b></p> <p>unisex toilet</p> <p>Qty. _____</p>
<p>T1-B/AL <input type="checkbox"/></p> <p><b>Toilets</b></p> <p>toilets</p> <p>Qty. _____</p>	<p>FA-B/AL <input type="checkbox"/></p> <p><b>Female Ambulant</b></p> <p>female ambulant</p> <p>Qty. _____</p>	<p>MA-B/AL <input type="checkbox"/></p> <p><b>Male Ambulant</b></p> <p>male ambulant</p> <p>Qty. _____</p>	<p>AT-B/AL <input type="checkbox"/></p> <p><b>Ambulant Toilet</b></p> <p>ambulant toilet</p> <p>Qty. _____</p>	<p>TR-B/AL <input type="checkbox"/></p> <p><b>Toilets To Right</b></p> <p>toilets to right →</p> <p>Qty. _____</p>

# Tactile Signs

Black on Aluminium

Size: 180mm x180mm



<b>TL-B/AL</b> <input type="checkbox"/>  <b>Toilets To Left</b> <small>TOILETS TO LEFT</small> toilets to left → Qty. _____	<b>M1-B/AL</b> <input type="checkbox"/>  <b>Male</b> <small>MALE</small> male Qty. _____	<b>F1-B/AL</b> <input type="checkbox"/>  <b>Female</b> <small>FEMALE</small> female Qty. _____	<b>F2-B/AL</b> <input type="checkbox"/>  <b>Female Staff</b> <small>FEMALE STAFF</small> female staff Qty. _____	<b>M2-B/AL</b> <input type="checkbox"/>  <b>Male Staff</b> <small>MALE STAFF</small> male staff Qty. _____
<b>ST-B/AL</b> <input type="checkbox"/>  <b>Staff Toilet</b> <small>STAFF TOILET</small> staff toilet Qty. _____	<b>SC-B/AL</b> <input type="checkbox"/>  <b>Staff Change Room</b> <small>STAFF CHANGE ROOM</small> staff change room Qty. _____	<b>FC-B/AL</b> <input type="checkbox"/>  <b>Female Change Room</b> <small>FEMALE CHANGE ROOM</small> female change room Qty. _____	<b>MC-B/AL</b> <input type="checkbox"/>  <b>Male Change Room</b> <small>MALE CHANGE ROOM</small> male change room Qty. _____	<b>UC-B/AL</b> <input type="checkbox"/>  <b>Unisex &amp; Change Room</b> <small>UNISEX &amp; CHANGE ROOM</small> unisex & change room Qty. _____
<b>FS-B/AL</b> <input type="checkbox"/>  <b>Female Shower</b> <small>FEMALE SHOWER</small> female shower Qty. _____	<b>MS-B/AL</b> <input type="checkbox"/>  <b>Male Shower</b> <small>MALE SHOWER</small> male shower Qty. _____	<b>AS-B/AL</b> <input type="checkbox"/>  <b>Accessible &amp; Shower</b> <small>ACCESSIBLE &amp; SHOWER</small> accessible & shower Qty. _____	<b>UTS-B/AL</b> <input type="checkbox"/>  <b>Unisex Toilet Shower</b> <small>UNISEX TOILET SHOWER</small> unisex toilet shower Qty. _____	<b>S-B/AL</b> <input type="checkbox"/>  <b>Shower</b> <small>SHOWER</small> shower Qty. _____
<b>GT-B/AL</b> <input type="checkbox"/>  <b>Girls Toilet</b> <small>GIRLS TOILET</small> girls toilet Qty. _____	<b>BT-B/AL</b> <input type="checkbox"/>  <b>Boys Toilet</b> <small>BOYS TOILET</small> boys toilet Qty. _____	<b>P1-B/AL</b> <input type="checkbox"/>  <b>Parents</b> <small>PARENTS</small> parents Qty. _____	<b>P2-B/AL</b> <input type="checkbox"/>  <b>Parenting</b> <small>PARENTING</small> parenting Qty. _____	<b>B1-B/AL</b> <input type="checkbox"/>  <b>Babycare</b> <small>BABY CARE</small> babycare Qty. _____
<b>B2-B/AL</b> <input type="checkbox"/>  <b>Babycare</b> <small>BABY CARE</small> babycare Qty. _____	<b>PR-B/AL</b> <input type="checkbox"/>  <b>Parents Room</b> <small>PARENTS ROOM</small> parents room Qty. _____	<b>MTBR-B/AL</b> <input type="checkbox"/>  <b>Male Toilet &amp; Babycare</b> <small>MALE TOILET &amp; BABY CARE</small> male toilet & babycare → Qty. _____	<b>MTBL-B/AL</b> <input type="checkbox"/>  <b>Male Toilet &amp; Babycare</b> <small>MALE TOILET &amp; BABY CARE</small> male toilet & babycare ← Qty. _____	<b>FAID-B/AL</b> <input type="checkbox"/>  <b>First Aid</b> <small>FIRST AID</small> first aid Qty. _____



# Tactile Signs

Black on Aluminium

Size: 180mm x180mm




HL-B/AL ☐



hearing loop

Qty. \_\_\_\_\_

CR-B/AL ☐



conference room

Qty. \_\_\_\_\_

WA-B/AL ☐



waiting area

Qty. \_\_\_\_\_


R1-B/AL ☐



rubbish

Qty. \_\_\_\_\_


R2-B/AL ☐



reception

Qty. \_\_\_\_\_

INFO-B/AL ☐



information

Qty. \_\_\_\_\_

TPH-B/AL ☐



telephone

Qty. \_\_\_\_\_


TT-B/AL ☐



taxi telephone

Qty. \_\_\_\_\_


TX-B/AL ☐



taxi

Qty. \_\_\_\_\_


ATM-B/AL ☐



atm

Qty. \_\_\_\_\_

C1-B/AL ☐



cashier

Qty. \_\_\_\_\_

PH-B/AL ☐



pharmacy

Qty. \_\_\_\_\_

CS-B/AL ☐



cafe shop

Qty. \_\_\_\_\_

DW-B/AL ☐



drinking water

Qty. \_\_\_\_\_


CL-B/AL ☐



cleaner

Qty. \_\_\_\_\_


S1-B/AL ☐



stairs

Qty. \_\_\_\_\_

L1-B/AL ☐



lifts

Qty. \_\_\_\_\_

# Tactile Signs

Black on Stainless Steel

Size: 180mm x180mm



<b>A-B/SS</b> <input type="checkbox"/>  <b>Access</b> <small>access</small> Qty. _____	<b>AR-B/SS</b> <input type="checkbox"/>  <b>Ramp</b> <small>accessible ramp</small> Qty. _____	<b>AX-B/SS</b> <input type="checkbox"/>  <b>Exit</b> <small>accessible exit</small> Qty. _____	<b>AE-B/SS</b> <input type="checkbox"/>  <b>Entry</b> <small>accessible entry</small> Qty. _____	<b>AE2-B/SS</b> <input type="checkbox"/>  <b>Entrance</b> <small>accessible entrance</small> Qty. _____
<b>A1-B/SS</b> <input type="checkbox"/>  <b>Accessible</b> <small>accessible</small> Qty. _____	<b>A2-B/SS</b> <input type="checkbox"/>  <b>Accessible Toilet</b> <small>accessible toilet</small> Qty. _____	<b>ALH-B/SS</b> <input type="checkbox"/>  <b>Toilet LH</b> <small>accessible toilet lh</small> Qty. _____	<b>ARH-B/SS</b> <input type="checkbox"/>  <b>Toilet RH</b> <small>accessible toilet rh</small> Qty. _____	<b>AMLH-B/SS</b> <input type="checkbox"/>  <b>Male Toilet LH</b> <small>accessible male lh</small> Qty. _____
<b>AMRH-B/SS</b> <input type="checkbox"/>  <b>Male Toilet RH</b> <small>accessible male rh</small> Qty. _____	<b>AFLH-B/SS</b> <input type="checkbox"/>  <b>Female Toilet LH</b> <small>accessible female lh</small> Qty. _____	<b>AFRH-B/SS</b> <input type="checkbox"/>  <b>Female Toilet RH</b> <small>accessible female rh</small> Qty. _____	<b>ATP-B/SS</b> <input type="checkbox"/>  <b>Accessible Telephone</b> <small>accessible telephone</small> Qty. _____	<b>AM-B/SS</b> <input type="checkbox"/>  <b>Accessible Male</b> <small>accessible male</small> Qty. _____
<b>AF-B/SS</b> <input type="checkbox"/>  <b>Accessible Female</b> <small>accessible female</small> Qty. _____	<b>UAT-B/SS</b> <input type="checkbox"/>  <b>Unisex Toilet</b> <small>unisex toilet</small> Qty. _____	<b>UATLH-B/SS</b> <input type="checkbox"/>  <b>Unisex Toilet LH</b> <small>unisex toilet lh</small> Qty. _____	<b>UATRHB/SS</b> <input type="checkbox"/>  <b>Unisex Toilet RH</b> <small>unisex toilet rh</small> Qty. _____	<b>UT-B/SS</b> <input type="checkbox"/>  <b>Unisex Toilet</b> <small>unisex toilet</small> Qty. _____
<b>T1-B/SS</b> <input type="checkbox"/>  <b>Toilets</b> <small>toilets</small> Qty. _____	<b>FA-B/SS</b> <input type="checkbox"/>  <b>Female Ambulant</b> <small>female ambulant</small> Qty. _____	<b>MA-B/SS</b> <input type="checkbox"/>  <b>Male Ambulant</b> <small>male ambulant</small> Qty. _____	<b>AT-B/SS</b> <input type="checkbox"/>  <b>Ambulant Toilet</b> <small>ambulant toilet</small> Qty. _____	<b>TR-B/SS</b> <input type="checkbox"/>  <b>Toilets To Right</b> <small>toilets to right →</small> Qty. _____

# Tactile Signs

Black on Stainless Steel

Size: 180mm x180mm




TL-B/SS ☐



toilets to left ←

Qty. \_\_\_\_\_

M1-B/SS ☐



male

Qty. \_\_\_\_\_

F1-B/SS ☐



female

Qty. \_\_\_\_\_

F2-B/SS ☐



female staff

Qty. \_\_\_\_\_

M2-B/SS ☐



male staff

Qty. \_\_\_\_\_

ST-B/SS ☐



staff toilet

Qty. \_\_\_\_\_

SC-B/SS ☐



staff change room

Qty. \_\_\_\_\_

FC-B/SS ☐



female change room

Qty. \_\_\_\_\_

MC-B/SS ☐



male change room

Qty. \_\_\_\_\_

UC-B/SS ☐



unisex & change room

Qty. \_\_\_\_\_

FS-B/SS ☐



female shower

Qty. \_\_\_\_\_

MS-B/SS ☐



male shower

Qty. \_\_\_\_\_

AS-B/SS ☐



accessible & shower

Qty. \_\_\_\_\_

UTS-B/SS ☐



unisex toilet shower

Qty. \_\_\_\_\_

S-B/SS ☐



shower

Qty. \_\_\_\_\_

GT-B/SS ☐



girls toilet

Qty. \_\_\_\_\_

BT-B/SS ☐



boys toilet

Qty. \_\_\_\_\_

P1-B/SS ☐



parents

Qty. \_\_\_\_\_

P2-B/SS ☐



parenting

Qty. \_\_\_\_\_

B1-B/SS ☐



babycare

Qty. \_\_\_\_\_

B2-B/SS ☐



babycare

Qty. \_\_\_\_\_

PR-B/SS ☐



parents room

Qty. \_\_\_\_\_

MTBR-B/SS ☐



male toilet & babycare →

Qty. \_\_\_\_\_

MTBL-B/SS ☐



male toilet & babycare ←

Qty. \_\_\_\_\_

FAID-B/SS ☐



first aid

Qty. \_\_\_\_\_

# Tactile Signs

Black on Stainless Steel

Size: 180mm x180mm




HL-B/SS ☐



hearing loop

Qty. \_\_\_\_\_

CR-B/SS ☐



conference room

Qty. \_\_\_\_\_

WA-B/SS ☐



waiting area

Qty. \_\_\_\_\_

R1-B/SS ☐



rubbish

Qty. \_\_\_\_\_

R2-B/SS ☐



reception

Qty. \_\_\_\_\_

INFO-B/SS ☐



information

Qty. \_\_\_\_\_


TPH-B/SS ☐



telephone

Qty. \_\_\_\_\_

TT-B/SS ☐



taxi telephone

Qty. \_\_\_\_\_


TX-B/SS ☐



taxi

Qty. \_\_\_\_\_

ATM-B/SS ☐



atm

Qty. \_\_\_\_\_

C1-B/SS ☐



cashier

Qty. \_\_\_\_\_

PH-B/SS ☐



pharmacy

Qty. \_\_\_\_\_

CS-B/SS ☐



cafe shop

Qty. \_\_\_\_\_


DW-B/SS ☐



drinking water

Qty. \_\_\_\_\_

CL-B/SS ☐



cleaner

Qty. \_\_\_\_\_


S1-B/SS ☐



stairs

Qty. \_\_\_\_\_

L1-B/SS ☐



lifts

Qty. \_\_\_\_\_

# Tactile Signs

Black on Brass

Size: 180mm x180mm



<p>A-B/BR <input type="checkbox"/></p> <p>Access</p> <p>access</p> <p>Qty. _____</p>	<p>AR-B/BR <input type="checkbox"/></p> <p>Ramp</p> <p>accessible ramp</p> <p>Qty. _____</p>	<p>AX-B/BR <input type="checkbox"/></p> <p>Exit</p> <p>accessible exit</p> <p>Qty. _____</p>	<p>AE-B/BR <input type="checkbox"/></p> <p>Entry</p> <p>accessible entry</p> <p>Qty. _____</p>	<p>AE2-B/BR <input type="checkbox"/></p> <p>Entrance</p> <p>accessible entrance</p> <p>Qty. _____</p>
<p>A1-B/BR <input type="checkbox"/></p> <p>Accessible</p> <p>accessible</p> <p>Qty. _____</p>	<p>A2-B/BR <input type="checkbox"/></p> <p>Accessible Toilet</p> <p>accessible toilet</p> <p>Qty. _____</p>	<p>ALH-B/BR <input type="checkbox"/></p> <p>Toilet LH</p> <p>accessible toilet lh</p> <p>Qty. _____</p>	<p>ARH-B/BR <input type="checkbox"/></p> <p>Toilet RH</p> <p>accessible toilet rh</p> <p>Qty. _____</p>	<p>AMLH-B/BR <input type="checkbox"/></p> <p>Male Toilet LH</p> <p>accessible male lh</p> <p>Qty. _____</p>
<p>AMRH-B/BR <input type="checkbox"/></p> <p>Male Toilet RH</p> <p>accessible male rh</p> <p>Qty. _____</p>	<p>AFLH-B/BR <input type="checkbox"/></p> <p>Female Toilet LH</p> <p>accessible female lh</p> <p>Qty. _____</p>	<p>AFRH-B/BR <input type="checkbox"/></p> <p>Female Toilet RH</p> <p>accessible female rh</p> <p>Qty. _____</p>	<p>ATP-B/BR <input type="checkbox"/></p> <p>Accessible Telephone</p> <p>accessible telephone</p> <p>Qty. _____</p>	<p>AM-B/BR <input type="checkbox"/></p> <p>Accessible Male</p> <p>accessible male</p> <p>Qty. _____</p>
<p>AF-B/BR <input type="checkbox"/></p> <p>Accessible Female</p> <p>accessible female</p> <p>Qty. _____</p>	<p>UAT-B/BR <input type="checkbox"/></p> <p>Unisex Toilet</p> <p>unisex toilet</p> <p>Qty. _____</p>	<p>UATLH-B/BR <input type="checkbox"/></p> <p>Unisex Toilet LH</p> <p>unisex toilet lh</p> <p>Qty. _____</p>	<p>UATRHB/BR <input type="checkbox"/></p> <p>Unisex Toilet RH</p> <p>unisex toilet rh</p> <p>Qty. _____</p>	<p>UT-B/BR <input type="checkbox"/></p> <p>Unisex Toilet</p> <p>unisex toilet</p> <p>Qty. _____</p>
<p>T1-B/BR <input type="checkbox"/></p> <p>Toilets</p> <p>toilets</p> <p>Qty. _____</p>	<p>FA-B/BR <input type="checkbox"/></p> <p>Female Ambulant</p> <p>female ambulant</p> <p>Qty. _____</p>	<p>MA-B/BR <input type="checkbox"/></p> <p>Male Ambulant</p> <p>male ambulant</p> <p>Qty. _____</p>	<p>AT-B/BR <input type="checkbox"/></p> <p>Ambulant Toilet</p> <p>ambulant toilet</p> <p>Qty. _____</p>	<p>TR-B/BR <input type="checkbox"/></p> <p>Toilets To Right</p> <p>toilets to right →</p> <p>Qty. _____</p>

# Tactile Signs

Black on Brass

Size: 180mm x180mm



<p>TL-B/BR <input type="checkbox"/></p> <p>Toilets To Left</p> <p>toilets to left ←</p> <p>Qty. _____</p>	<p>M1-B/BR <input type="checkbox"/></p> <p>Male</p> <p>male</p> <p>Qty. _____</p>	<p>F1-B/BR <input type="checkbox"/></p> <p>Female</p> <p>female</p> <p>Qty. _____</p>	<p>F2-B/BR <input type="checkbox"/></p> <p>Female Staff</p> <p>female staff</p> <p>Qty. _____</p>	<p>M2-B/BR <input type="checkbox"/></p> <p>Male Staff</p> <p>male staff</p> <p>Qty. _____</p>
<p>ST-B/BR <input type="checkbox"/></p> <p>Staff Toilet</p> <p>staff toilet</p> <p>Qty. _____</p>	<p>SC-B/BR <input type="checkbox"/></p> <p>Staff Change Room</p> <p>staff change room</p> <p>Qty. _____</p>	<p>FC-B/BR <input type="checkbox"/></p> <p>Female Change Room</p> <p>female change room</p> <p>Qty. _____</p>	<p>MC-B/BR <input type="checkbox"/></p> <p>Male Change Room</p> <p>male change room</p> <p>Qty. _____</p>	<p>UC-B/BR <input type="checkbox"/></p> <p>Unisex &amp; Change Room</p> <p>unisex &amp; change room</p> <p>Qty. _____</p>
<p>FS-B/BR <input type="checkbox"/></p> <p>Female Shower</p> <p>female shower</p> <p>Qty. _____</p>	<p>MS-B/BR <input type="checkbox"/></p> <p>Male Shower</p> <p>male shower</p> <p>Qty. _____</p>	<p>AS-B/BR <input type="checkbox"/></p> <p>Accessible &amp; Shower</p> <p>accessible &amp; shower</p> <p>Qty. _____</p>	<p>UTS-B/BR <input type="checkbox"/></p> <p>Unisex Toilet Shower</p> <p>unisex toilet shower</p> <p>Qty. _____</p>	<p>S-B/BR <input type="checkbox"/></p> <p>Shower</p> <p>shower</p> <p>Qty. _____</p>
<p>GT-B/BR <input type="checkbox"/></p> <p>Girls Toilet</p> <p>girls toilet</p> <p>Qty. _____</p>	<p>BT-B/BR <input type="checkbox"/></p> <p>Boys Toilet</p> <p>boys toilet</p> <p>Qty. _____</p>	<p>P1-B/BR <input type="checkbox"/></p> <p>Parents</p> <p>parents</p> <p>Qty. _____</p>	<p>P2-B/BR <input type="checkbox"/></p> <p>Parenting</p> <p>parenting</p> <p>Qty. _____</p>	<p>B1-B/BR <input type="checkbox"/></p> <p>Babycare</p> <p>babycare</p> <p>Qty. _____</p>
<p>B2-B/BR <input type="checkbox"/></p> <p>Babycare</p> <p>babycare</p> <p>Qty. _____</p>	<p>PR-B/BR <input type="checkbox"/></p> <p>Parents Room</p> <p>parents room</p> <p>Qty. _____</p>	<p>MTBR-B/BR <input type="checkbox"/></p> <p>Male Toilet &amp; Babycare</p> <p>male toilet &amp; babycare →</p> <p>Qty. _____</p>	<p>MTBL-B/BR <input type="checkbox"/></p> <p>Male Toilet &amp; Babycare</p> <p>male toilet &amp; babycare ←</p> <p>Qty. _____</p>	<p>FAID-B/BR <input type="checkbox"/></p> <p>First Aid</p> <p>first aid</p> <p>Qty. _____</p>

# Tactile Signs

Black on Brass

Size: 180mm x180mm



HL-B/BR ☐



hearing loop

Qty. \_\_\_\_\_

CR-B/BR ☐



conference room

Qty. \_\_\_\_\_

WA-B/BR ☐



waiting area

Qty. \_\_\_\_\_

R1-B/BR ☐



rubbish

Qty. \_\_\_\_\_

R2-B/BR ☐



reception

Qty. \_\_\_\_\_

INFO-B/BR ☐



information

Qty. \_\_\_\_\_

TPH-B/BR ☐



telephone

Qty. \_\_\_\_\_

TT-B/BR ☐



taxi telephone

Qty. \_\_\_\_\_


TX-B/BR ☐



taxi

Qty. \_\_\_\_\_

ATM-B/BR ☐



atm

Qty. \_\_\_\_\_

C1-B/BR ☐



cashier

Qty. \_\_\_\_\_

PH-B/BR ☐



pharmacy

Qty. \_\_\_\_\_

CS-B/BR ☐



cafe shop

Qty. \_\_\_\_\_

DW-B/BR ☐



drinking water

Qty. \_\_\_\_\_

CL-B/BR ☐



cleaner

Qty. \_\_\_\_\_


S1-B/BR ☐



stairs

Qty. \_\_\_\_\_

L1-B/BR ☐



lifts

Qty. \_\_\_\_\_

# Tactile Signs



White on Blue Rowmark

Size: 275mm x180mm

AST-W/BL



accessible shower & toilet

Qty. \_\_\_\_\_

UATBC-W/BL



unisex toilet & baby change

Qty. \_\_\_\_\_

FUAT-W/BL



female & unisex accessible toilet

Qty. \_\_\_\_\_

TBC-W/BL



toilets + baby change

Qty. \_\_\_\_\_

Black on Silver Rowmark

Size: 275mm x180mm

AST-B/S



accessible shower & toilet

Qty. \_\_\_\_\_

UATBC-B/S



unisex toilet & baby change

Qty. \_\_\_\_\_

FUAT-B/S



female & unisex accessible toilet

Qty. \_\_\_\_\_

TBC-B/S



toilets + baby change

Qty. \_\_\_\_\_



# Tactile Signs



Black on Aluminium  
Size: 275mm x180mm

AST-B/AL



accessible shower & toilet

Qty. \_\_\_\_\_

UATBC-B/AL



unisex toilet & baby change

Qty. \_\_\_\_\_

FUAT-B/AL



female & unisex accessible toilet

Qty. \_\_\_\_\_

TBC-B/AL



toilets + baby change

Qty. \_\_\_\_\_

Black on Stainless Steel  
Size: 275mm x180mm

AST-B/SS



accessible shower & toilet

Qty. \_\_\_\_\_

UATBC-B/SS



unisex toilet & baby change

Qty. \_\_\_\_\_

FUAT-B/SS



female & unisex accessible toilet

Qty. \_\_\_\_\_

TBC-B/SS



toilets + baby change

Qty. \_\_\_\_\_

# Tactile Signs



Black on Brass

Size: 275mm x180mm

AST-B/BR



accessible shower & toilet

Qty. \_\_\_\_\_

UATBC-B/BR



unisex toilet & baby change

Qty. \_\_\_\_\_

FUAT-B/BR



female & unisex accessible toilet

Qty. \_\_\_\_\_

TBC-B/BR



toilets + baby change

Qty. \_\_\_\_\_



30 Westchester Road  
Malaga WA 6090

**Phone: (08) 9249 3244**

**Fax: (08) 9249 2742**

email: [sales@wilsonsigns.com.au](mailto:sales@wilsonsigns.com.au)

web: [www.wilsonsigns.com.au](http://www.wilsonsigns.com.au)

M-Six Pty Ltd Trustee for the Wilson Trust

**ABN: 978 2007 5127**

## TACTILE SIGNS - ORDER FORM

Name:		Date:
Company:		Purchase Order:
Email:		
Postal Address:		
Phone:		

### Payment Options

**In Person:** 30 Westchester Road, MALAGA WA 6090

**Phone:** Ph (08) 9249 3244

**Web:** <http://www.wilsonsigns.com.au/index.php/make-a-payment>

**Internet Transfer:** A/C: Wilsons Sign Solutions BSB: 036 059 A/C No: 366757

**Cheque:** Made payable to Wilsons Sign Solution and posted to 30 Westchester Road MALAGA WA 6090

**30 Westchester Road MALAGA WA 6090**

Phone: (08) 9249 3244 Fax: (08) 9249 2742 Email: [sales@wilsonsigns.com.au](mailto:sales@wilsonsigns.com.au) Web: [wilsonsigns.com.au](http://www.wilsonsigns.com.au)  
M-SIX PTY LTD (A.C.N. 97 820 075 127) TRUSTEE FOR THE WILSON TRUST